SHAGUN ENTERPRISE
AN INKJET SOLUTION



DIRECT ON FABRIC
PRINTING MACHINE


printex

www.shagunenterprise.com


DIRECT ON FABRIC PRINTING MACHINE



Printer



Dryer



KEY TECHNICAL FEATURES

- Up to 32 Heads
- 600 x 1200 dpi
- 600 x 600 dpi - 580m²/h
  600 x 1200 dpi - 300m²/h
- Up to 1900mm
- Easy Loading
- Quality
- Fast Response
- Personalized
- Flexibility
- Intelligence
- Eco-Friendly
- Safety Sensor


SPECIFICATIONS


Printer Model	SE R32		SE K32	
Print Speed	16 Head	32 Head	16 Head	32 Head
	170 m/h	350 m/h	150 m/h	300 m/h
Printheads	32 Ricoh G6		32 Kyocera	
Belt Width	1950mm			
Ink Color (8 color)	CMYK ORGB			
Types of Ink Supported	Reactive / Disperse / Pigment / Acid			
Image Type	JPEG / TIFF, BMP file format and RGB/CMYK color mode			
Media or Fabric Type	Suitable for all types of fabrics thickness upto - 15mm (compatible with ink type)			
Transfer Medium	Belt continuous transport, automatic media feeding and take-up			
Compressed Air	8 Bar / 0.6 MPA / 25 CFM			
Work Environment	Temperature 22°C-28°C, Humidity 55%-65%			

Power Supply	
Printer	14A (9KW) + 18.6A(12KW) - 3 Phase
External Dryer (Electrical)	22A (16KW) - 3 Phase
External Dryer (Gas)	8KW - 3 Phase + Gas

	Printer	External Dryer
Dimension (mm)	4860 x 2304 x 2250	4300 x 3800 x 1900
Weight (kg)	3800	1450

*Specifications are subject to change





APPLICATIONS	
Fashion	✓
Home Textile	✓
Sportswear	✓
Outdoor	✓

SUBSTRATES	
Cotton	✓
Polyester	✓
Polyamide	✓
Silk	✓
Viscose	✓
Blends	✓
Wool	✓



WE ARE ALSO DEAL IN

- **SUBLIX:**
  Sublimation Printer
- **SUBLIFOIL:**
  Sublimation with Foil
- **FEBRIX:**
  Direct on Fabric
- Roll To Roll Heat Transfer Machine

INK

- Sublimation Ink
- Reactive Ink
- Pigment Ink
- Disperse Ink
- Fluorescent Ink

Contact Us

Phone:
+91 83200 42135

Mail:
info@shagunenterprise.com

Web:
www.shagunenterprise.com

Address:
Plot No. 35/36, Soma Kanji Wadi, Near Savera Complex,
Khatodara, Udhna Darwaja, Surat - 395002.

SCAN QR